



ATC 2026 Call for Invited Programs Keyword List

Adhesion molecules	Biopsy
Adverse effects	Bone
African-American	Bone marrow
Age factors	Bone marrow transplantation
Alcohol	Brain death
Alloantibodies	Cadaveric organs
Alloantigens	Calcineurin
Allocation	CD4
Allorecognition	Co-stimulation
Angiography	COVID-19
Antibodies	Cytomeglovirus
Anticoagulation	Donors
Antigen presentation	Donors
Antilymphocyte antibodies	Donors
Apoptosis	Dosage
Arteriosclerosis	Drug interaction
Autoimmunity	Economics
B cells	Efficacy
Bacterial infection	Elderly patients
Bile duct	Employment
Bioengineering	Endothelial cells

Epithelial cells	Hepatitis C
Epitopes	Hepatocellular carcinoma
FACS analysis	Hepatocytes
Fibrosis	Highly-sensitized
FK506	High-risk
Fungal infection	Hispanic
Gene expression	Histocompatibility
Gene polymorphism	Histocompatibility antigens
Genomic markers	Histology
Genomics	HIV virus
Glomerular filtration rate (GFR)	HLA antibodies
Glomerulonephritis	HLA antigens
Graft acceptance	HLA matching
Graft failure	Hyperglycemia
Graft function	Hypertension
Graft survival	IgG
Graft-infiltrating lymphocytes	Image analysis
Graft-versus-host-disease	Immunogenicity
Heart	Immunoglobulins (Ig)
Heart failure	Immunosuppression
Heart preservation	Indirect pathway
Heart transplant patients	Induction therapy
Heart/lung transplantation	Infection
Hemodynamics	Inflammation
Hepatitis	Insulin
Hepatitis B	Interleukin-2 receptor

Intestinal transplantation	Methodology
Ischemia	Mice
Islets	Mice
Kidney	Mixed chimerism
Kidney transplantation	Monitoring
Kidney/liver transplantation	Monoclonal antibodies
Kidney/pancreas transplantation	Morbidity
Laparoscopy	Mortality
Length of stay	Multicenter studies
Liver	Multivariate analysis
Liver cirrhosis	Multivisceral transplantation
Liver failure	Mycophenolate mofetil
Liver grafts	Natural killer cells
Liver preservation	Nephrectomy
Liver transplantation	Nephropathy
Living-related liver donors	Neutropenia
Lung	Neutrophils
Lung infection	Non-invasive diagnosis
Lung transplantation	Obesity
Lymph node	Outcome
Lymphocytes	Outpatients
Machine preservation	Oxidant stress
Malignancy	Pain
Medicare	Pancreas
Metabolic complications	Pancreas transplantation
Metabolic disease	Patient education

Pediatric	Renal function
Perfusion solutions	Renal injury
Pharmacokinetics	Renal ischemia
Pig	Resource utilization
Pneumonia	Retransplantation
Polyma virus	Risk factors
Polymerase chain reaction (PCR)	Safety
Post-operative complications	Screening
Post-transplant diabetes	Sensitization
Post-transplant malignancy	Sirolimus (SLR)
Prediction models	Skin transplantation
Pregnancy	Stem cells
Preservation	Surgical complications
Primates	Survival
Procurement	T cell activation
Prognosis	T cell clones
Prophylaxis	T cell graft infiltration
Proteinuria	T cell reactivity
Psychosocial	T cell receptors (TcR)
Public policy	T cells
Rat	T helper cells
Recurrence	Tolerance
Reinfection	Toxicity
Rejection	Transcription factors
Renal dysfunction	Vaccination
Renal failure	Vascular disease

Ventricular assist devices

Viral therapy

Waiting lists

Warm ischemia

Weight

Xenoreactive antibodies